



Model TRA 555HE - 2900 RPM
80 mm Inlet x 65 mm Outlet

WRIGHT PUMP

H (m)





Model TRA 545HE - 2900 RPM
80 mm Inlet x 50 mm Outlet

WRIGHT PUMP

H (m)

Performance curves based on tests using 20° C water. A tolerance of +/- 5% applies to all figures. Contact factory for different conditions.





Model TRA 554HE - 2900 RPM
80 mm Inlet x 65 mm Outlet

WRIGHT PUMP

H (m)

Performance curves based on tests using 20° C water. A tolerance of +/- 5% applies to all figures. Contact factory for different conditions.




Model TRA 553HE - 2900 RPM
65 mm Inlet x 50 mm Outlet


WRIGHT PUMP

H (m)

Performance curves based on tests using 20° C water. A tolerance of +/- 5% applies to all figures. Contact factory for different conditions.



P (kW)




Model TRA 552HE - 2900 RPM
65 mm Inlet x 50 mm Outlet


WRIGHT PUMP

H (m)

Performance curves based on tests using 21 ° C water. A tolerance of +/- 5% applies to all figures. Contact factory for different conditions.




P (kW)



Model TRA 506HE - 2900 RPM
65 mm Inlet x 50 mm Outlet

WRIGHT PUMP


H (m)




Model TRA 505HE - 2900 RPM
65 mm Inlet x 50 mm Outlet

WRIGHT PUMP

H (m)




P (kW)




Model TRA 504HE - 2900 RPM
65 mm Inlet x 50 mm Outlet

WRIGHT PUMP

H (m)




P (kW)




Model TRA 502HE - 2900 RPM
50 mm Inlet x 40 mm Outlet

WRIGHT PUMP

H (m)




P (kW)




Model TRA 501H - 2900 RPM
50 mm Inlet x 40 mm Outlet

WRIGHT PUMP

H (m)



P (kW)



Model TRA 500H - 2900 RPM
40 mm Inlet x 40 mm Outlet

WRIGHT PUMP

H (m)



NPSH
(m)
2
1

P (kW)

